


Listing of Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application.

1. (Currently amended.) A compound of formula I:



wherein:

a, b and c are each 1 or 2;

D is oxygen or sulfur, and

R is selected from moieties of formulae II, III or IV:



II



III



IV

wherein

R¹, and R² are independently selected from hydrogen, CN, CF₃, halogen, C₁₋₄alkyl, C₂₋₄alkenyl, C₂₋₄alkynyl or CO₂R³;

Ar is phenyl, or

Ar is a 5- or 6-membered aromatic heterocyclic moiety having 1, 2 or 3 heteroatoms selected from nitrogen, oxygen or sulfur where not more than one of said heteroatoms is oxygen or sulfur, or

Ar is an 8-, 9- or 10-membered fused aromatic heterocyclic moiety having 1, 2 or 3 heteroatoms selected from nitrogen, oxygen or sulfur where not more than one of said heteroatoms is oxygen or sulfur, or

Ar is an 8-, 9- or 10-membered aromatic carbocyclic ring,

wherein said phenyl, heterocyclic rings or carbocyclic rings have 0, 1 or more substituents independently selected from hydrogen, CN, NO₂, CF₃, halogen, C₁₋₄alkyl, C₂₋₄alkenyl, C₂₋₄alkynyl, aryl, heteroaryl, OR³, CO₂R³ or NR³R⁴; where

R³ and R⁴ are independently at each occurrence selected from hydrogen, C₁₋₄alkyl, aryl, heteroaryl, C(O)R⁵, C(O)NHR⁵, CO₂R⁵, SO₂R⁵, or

R³, R⁴ and N in combination in the substituent -NR³R⁴ is (CH₂)_Q(CH₂)_k where Q is O, S, NR⁵, or a bond; j is 2, 3 or 4 and k is 0, 1 or 2;

wherein

R⁵ at each occurrence is independently selected from hydrogen, C₁₋₄alkyl, aryl, or heteroaryl, and

R⁶ at each occurrence is independently selected from C₁₋₄alkyl, aryl, or heteroaryl;
with the proviso that said compound is not 4-benzoyl-1,4-diazabicyclo[3.2.1]octane or naphthoyl-1,4-diazabicyclo[3.2.2]octane;

or an enantiomer or pharmaceutically-acceptable salt thereof.

2. (Currently amended.) A compound according to Claim 1, wherein D is oxygen or an enantiomer or a pharmaceutically acceptable salt thereof.

3.(Withdrawn) A compound according to Claim 1, wherein a is 1, b is 2 and c is 1,
or an enantiomer or pharmaceutically-acceptable salt thereof.

4. (Original) A compound of Claim 1, wherein

Ar is phenyl, or

Ar is a 5- or 6-membered aromatic heterocyclic moiety having 1 or 2 heteroatoms selected from nitrogen, oxygen or sulfur where not more than one of said heteroatoms is oxygen or sulfur;

or an enantiomer or pharmaceutically-acceptable salt thereof.

5.(Original) A compound according to Claim 4, wherein Ar is a phenyl, furanyl or thiophenyl;
or an enantiomer or pharmaceutically-acceptable salt thereof.

6.(Withdrawn) A compound according to Claim 1, wherein:
a is 1;

b is 2;

c is 1;

D is oxygen;

R¹ and R² are hydrogen;

Ar is phenyl, or

Ar is a 5- or 6-membered aromatic heterocyclic moiety having 1, 2 or 3 heteroatoms selected from nitrogen, oxygen or sulfur where not more than one of said heteroatoms is oxygen or sulfur, or

Ar is an 8-, 9- or 10-membered fused aromatic heterocyclic moiety having 1, 2 or 3 heteroatoms selected from nitrogen, oxygen or sulfur where not more than one of said heteroatoms is oxygen or sulfur, or

Ar is an 8-, 9- or 10-membered aromatic carbocyclic ring;
or an enantiomer or pharmaceutically-acceptable salt thereof.

7.(Original) A compound according to Claim 1, wherein:

Ar is selected from phenyl, 2-pyridyl, 3-pyridyl, or 4-pyridyl, 2-furanyl or 3-furanyl, 2-thienyl or 3-thienyl, benzofuran-2-yl; benzofuran-3-yl, benzo[b]thiophen-2-yl or benzo[b]thiophen-3-yl;
or an enantiomer or pharmaceutically-acceptable salt thereof.

8.(Original) A compound according to Claim 1, wherein:

Ar is substituted with one or more substituents independently selected from CN, NO₂, CF₃, halogen, C₁₋₄alkyl, C₂₋₄alkenyl, C₂₋₄alkynyl, aryl, heteroaryl, OR³, CO₂R³ or NR³R⁴;
or an enantiomer or pharmaceutically-acceptable salt thereof.

9.(Withdrawn) A compound according to Claim 1 selected from:

(1,4-diazabicyclo[3.2.2]non-4-yl)(phenyl)methanone;
(1,4-diazabicyclo[3.2.2]non-4-yl)(3-fluorophenyl)methanone;
(1,4-diazabicyclo[3.2.2]non-4-yl)(4-fluorophenyl)methanone;
(3-chlorophenyl)(1,4-diazabicyclo[3.2.2]non-4-yl)methanone;
(4-chlorophenyl)(1,4-diazabicyclo[3.2.2]non-4-yl)methanone;
(1,4-diazabicyclo[3.2.2]non-4-yl)(3,4-dichlorophenyl)methanone;
(3-bromophenyl)(1,4-diazabicyclo[3.2.2]non-4-yl)methanone;

(4-bromophenyl)(1,4-diazabicyclo[3.2.2]non-4-yl)methanone;
 (1,4-diazabicyclo[3.2.2]non-4-yl)(3-iodophenyl)methanone;
 (1,4-diazabicyclo[3.2.2]non-4-yl)(4-iodophenyl)methanone;
 (1,4-diazabicyclo[3.2.2]non-4-yl)(4-trifluoromethylphenyl)methanone;
 (1,4-diazabicyclo[3.2.2]non-4-yl)(4-methoxyphenyl)methanone;
 (1,4-diazabicyclo[3.2.2]non-4-yl)(4-trifluoromethoxyphenyl)methanone;
 (5-chlorofuran-2-yl)(1,4-diazabicyclo[3.2.2]non-4-yl)methanone;
 (5-bromofuran-2-yl)(1,4-diazabicyclo[3.2.2]non-4-yl)methanone;
 (5-iodofuran-2-yl)(1,4-diazabicyclo[3.2.2]non-4-yl)methanone;
 (5-chlorothiophen-2-yl)(1,4-diazabicyclo[3.2.2]non-4-yl)methanone;
 (5-bromothiophen-2-yl)(1,4-diazabicyclo[3.2.2]non-4-yl)methanone;
 (5-iodothiophen-2-yl)(1,4-diazabicyclo[3.2.2]non-4-yl)methanone;
 (1,4-diazabicyclo[3.2.2]non-4-yl)(naphthalen-2-yl)methanone;
 (1,4-diazabicyclo[3.2.2]non-4-yl)(benzofuran-2-yl)methanone;
 (1,4-diazabicyclo[3.2.2]non-4-yl)(benzo[b]thiophen-2-yl)methanone;
 1-(1,4-diazabicyclo[3.2.2]non-4-yl)-3-phenylpropynone;
 1-(1,4-diazabicyclo[3.2.2]non-4-yl)-3-phenylpropynone;
 1-(1,4-diazabicyclo[3.2.2]non-4-yl)-3-(furan-2-yl)propenone;
 1-(1,4-diazabicyclo[3.2.2]non-4-yl)-3-(furan-3-yl)propenone;
 1-(1,4-diazabicyclo[3.2.2]non-4-yl)-3-(thiophen-2-yl)propenone;
 1-(1,4-diazabicyclo[3.2.2]non-4-yl)-3-(thiophen-3-yl)propenone;
 (1,4-diazabicyclo[3.2.2]non-4-yl)(furan-2-yl)methanone;
 (E)-1-(1,4-diazabicyclo[3.2.2]non-4-yl)-3-(furan-2-yl)propenone;
 (E)-1-(1,4-diazabicyclo[3.2.2]non-4-yl)-3-(thiophen-2-yl)propenone;
 (E)-1-(1,4-diazabicyclo[3.2.2]non-4-yl)-3-(2-methoxyphenyl)-propenone;
 (E)-1-(1,4-diazabicyclo[3.2.2]non-4-yl)-3-(2-methylphenyl)propenone;
 (1,4-diaza-bicyclo[3.2.2]non-4-yl)-(1H-indol-5-yl)-methanone;
 (1,4-diaza-bicyclo[3.2.2]non-4-yl)-(methyl-1H-indol-2-yl)-methanone, and
 (Z)-1-(1,4-diaza-bicyclo[3.2.2]non-4-yl)-2-fluoro-3-phenyl-propenone,
 or an enantiomer or pharmaceutically-acceptable salt thereof.

10-12. (Canceled.)

13. (Previously presented.) A method of treatment or ~~prophylaxis~~ of psychotic disorders, intellectual impairment disorders, ~~human diseases or conditions in which activation of the $\alpha 7$ nicotinic receptor is beneficial~~, Alzheimer's disease, learning deficit, cognition deficit, attention deficit, memory loss, Lewy Body Dementia, Attention Deficit Hyperactivity Disorder, anxiety, schizophrenia, mania or manic depression, Parkinson's disease, Huntington's disease, Tourette's syndrome, neurodegenerative disorders in which there is loss of cholinergic synapse, jetlag, cessation of smoking, nicotine addiction including that resulting from exposure to products containing nicotine, pain, or ulcerative colitis which method comprises administering a therapeutically effective amount of a compound as defined in Claim 1.

14. (Previously presented.) A pharmaceutical composition comprising a compound of formula I, as defined claim 1, together with at least one pharmaceutically-acceptable excipient or diluent.